

Roll No.

Total Pages : 03

GSQ/M-20
MATHEMATICS
BM-362
Linear Algebra

1744

Time : Three Hours]

[Maximum Marks : 40

Note : Attempt *Five* questions in all, selecting *one* question from each Unit. Q. No. 1 is compulsory.

(Compulsory Question)

1. (a) Define Linear Operator. 1½
- (b) Express vector (1, 2) as a linear combination of vectors (2, 0) and (1, 3). 1½
- (c) Find a if the vectors (1, -1, 3), (1, 2, -3) and (a, 0, 1) are linearly dependent. 2
- (d) Define normed vector space. 1½
- (e) Find the norm of a vector $u = (2, -3, 6)$ and normalize this vector. 1½

Unit I

2. (a) Prove that every n -dimensional vector space $U(F)$ is isomorphic to F^n . 4

(3)L-1744

- (b) For $u_1 = (1, 1, -1)$, $u_2 = (4, 1, 1)$, $u_3 = (1, -1, 2)$ to be basis of \mathbb{R}^3 . Let $T : \mathbb{R}^3 \rightarrow \mathbb{R}^2$ be the linear transformation such that $T(u_1) = (1, 0)$, $T(u_2) = (0, 1)$, $T(u_3) = (1, 1)$. Find T . **4**
3. (a) If a finite dimensional vector space $V(F)$ is a direct sum of its two subspaces W_1 and W_2 , then $\dim V = \dim W_1 + \dim W_2$. **4**
- (b) If W_1 and W_2 are subspaces of V and $\dim W_1 = 4$, $\dim W_2 = 5$ and $\dim V = 7$, then find the possible values of $\dim (W_1 \cap W_2)$. **4**

Unit II

4. (a) Prove that two finite dimensional vector spaces over the same field are isomorphic iff they have the same dimension. **4**
- (b) Show that the mapping $T : \mathbb{R}^3 \rightarrow \mathbb{R}^2$ defined by $T(x_1, x_2, x_3) = (x_1, x_2)$ is a linear transformation and is onto but not one-to-one. **4**
5. (a) If $T : U(F) \rightarrow V(F)$ is a linear transformation, then prove that $\text{Rank } T + \text{Nullity } T = \dim U$. **4**
- (b) If $T : \mathbb{R}^4 \rightarrow \mathbb{R}^3$ is a linear transformation defined by $T(e_1) = (1, 1, 1)$, $T(e_2) = (1, -1, 1)$, $T(e_3) = (1, 0, 0)$ and $T(e_4) = (1, 0, 1)$. Then verify that $\rho(T) + \mu(T) = \dim \mathbb{R}^4 = 4$. **4**

Unit III

6. (a) Prove that a linear transformation $T : U \rightarrow V$ is non-singular iff T is one-to-one. 4
- (b) If $T : \mathbb{R}^3 \rightarrow \mathbb{R}^3$ be a linear operator defined by $T(x, y, z) = (x + z, x - z, y)$. Show that T is invertible and find T^{-1} . 4
7. (a) If $B = \{(1, -2, 3), (1, -1, 1), (2, -4, 7)\}$ is a basis of \mathbb{R}^3 , then find the dual basis of B . 4
- (b) Find the eigen values, eigen vectors for the matrix
- $$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}. \quad 4$$

Unit IV

8. (a) Let V be an inner product space, then prove that $|\langle u, v \rangle| \leq \|u\| \|v\|$ for all $u, v \in V$. 4
- (b) If x and y are vectors in an inner product space, then show that $x = y$ iff $\langle x, z \rangle = \langle y, z \rangle$ for all $z \in V$. 4
9. (a) Prove that every finite dimensional inner product space has an orthonormal basis. 4
- (b) Let T be a linear operator on a finite dimensional inner product space $V(F)$. If T is invertible, then show that so is T^* and $(T^*)^{-1} = (T^{-1})^*$. 4