Roll No.

Total Pages: 3

BCA/M-21

1897

COMPUTER ORIENTED STATISTICAL METHODS

Paper-BCA-245

Time allowed: 3 Hours Maximum Marks: 80

Note: Attempt **five** questions in all, selecting **one** question from each unit. Question No. **1** is compulsory. All questions carry equal marks.

Compulsory Question

1. (i) The export of wheat are given below as: 29.7, 16.6, 2.3, 14.1, 36.6, 18.7, 3.5, 21.3 Find median.

(ii) Give formulas for Quartile deviation, range and standard deviation of a sample?

- (iii) A card is drawn from a well shuffled pack of 52 playing cards. What is the probability of the card being a red card or an ace card.
- (iv) Prove that shift of origin changes the value of regression co-efficient?
- (v) Calculate variance of binomial distribution?

(vi) Differentiate business forecasting and projection?

2 etion? 2

UNIT-I

2. Find arithmetic mean, mode and median for the following data as:

Weight	90-100	100-110	110-120	120-130	130-140	140-150	150-160	160-170	170-180
No. of Students	4	2	18	22	21	19	10	3	2

3. (i) For the following distribution:

(X_i)	4	8	12	16	20	24	28
(F_i)	2	4	5	6	4	2	2

Calculate first four moments μ_1 , μ_2 , μ_3 , μ_4 about arithmetic mean (\overline{X}) ?

(ii) Prove that:

8

16

8

Harmonic Mean (HM) \leq Geometric Mean (GM) \leq Arithmetic Mean (AM).

1897/K/196 P.T.O.

UNIT-II

4. (i) Let A and B be two events with their probability P(A) and P(B) then prove that :

$$P(A/B) = \frac{P(A)}{P(B)} P(B/A).$$

(ii) Fit a Poisson distribution for the following data:

(X_i)	0	1	2	3	4
(F_i)	122	60	15	2	1

5. (i) In the estimation of regression equation of two variables x and y, the following results were obtained:

$$\overline{X} = 90$$
, $\overline{Y} = 70$, $N = 10$, $\Sigma x_i^2 = 6300$, $\Sigma y_i^2 = 2860$ and $\Sigma x_i y_i = 3900$.

Find two regression equations.

8

8

(ii) The following are the marks obtained 8 students in English and History subjects, Compute rank correlation co-efficient.

English	15	20	28	12	40	60	20	80
History	40	30	50	32	20	10	30	60

UNIT-III

6. (i) Find Karl Pearson co-relation co-efficient of a group of 6 persons: 8

I.O.	110	100	140	120	80	90
Mark Obtained	70	90	80	60	10	20

(ii) For n pairs of values of x and y, the following results were found

$$r_{xy} = 0.5$$
, $\sigma_y = 8$, $\Sigma u_i^2 = 90$, $\Sigma u_1 v_1 = 120$.

where
$$u_i = x_i - \overline{X}$$
 and $v_i = y_i - \overline{Y}$.

Find n, σ_x and two regression co-efficient.

8

7. (i) Fit a straight line for the following data:

8

X_i	2	3	4	5	6
y_i	900	600	200	110	50

(ii) A bag contains 4 red and 6 black balls and B contains 6 red and 4 black balls. A bag is chosen at random and a ball is drawn from it. The

colour of the ball drawn is black. What is the probability that the ball has been drawn from bag A.

UNIT-IV

- 8. (i) Define student t-test for test of equality of two population means. Also write assumptions of t-test?
 - (ii) A sample of eleven (11) plants give the following shoot lengths as:

 Lengths (in mm): 10.1, 21.5, 11.7, 12.9, 14.8, 11.0, 19.2, 11.4, 22.8,
 10.8, 10.2 and an earlier study reported that the mean shoot length is
 15 cm. Test whether the experimental data confirm the old view of 5% level of significance (t table value at 5% level of significance for 10 degree of freedom is 2.228).
- 9. Explain the following:
 - (i) One way classification (ANOVA) 8

8

(ii) Sampling errors and Non-sampling errors.